

County of **CAMDEN** State of Missouri

1 Court Circle NW, Suite 1
Camdenton, Missouri 65020

Presiding Commissioner
Ike Skelton

1st District Commissioner
James Gohagan

Office of the
CAMDEN COUNTY COMMISSION

Commission Clerk
Rowland Todd

2nd District Commissioner
Don Williams

---INVITATION TO BID---

The Camden County Commission is accepting bids from contractors to provide work that will eliminate water intrusion into the Mary Dickerson Juvenile Justice Center and eliminate ponding immediately around the building.

The following scope of work is needed and what should be bid on:

Grade shot will be taken at the culvert at the trench end located on the west side of the building. That will be grade for the entire trench unless it is found to be lower than the footing bottom.

Should be maximum of three feet deep.

Trench width will be approximately 3 feet.

Trench length will be 300 to 325 feet to be field verified.

Trench location will be as close to building as not to damage building or foundation.

4 inch perforated pipe in bottom of trench and backfilled to file grade with decorative 1 to 2 inch gravel.

All spoils will be removed from site.

All damaged grass areas will be topsoil and prepped for seed and straw, as necessary.

County assumes all seeding and straw responsibility for grass production growth.

Please contact Eddie Eidson, Maintenance Supervisor, at 573-216-5155 or eddie_eidson@camdenmo.org with any questions.

Sealed bids must be in the hands of Rowland A. Todd, County Clerk, by 10:00 A.M. May 21, 2024.

One original and four (4) copies of the bid must be submitted to the following address:

Rowland A. Todd- Camden County Clerk
1 Court Circle NW, Ste 2
Camdenton, MO 65020

The outer envelope shall be marked in the lower left hand corner **“240521 JJC- Water Mitigation”**

The Camden County Commission reserves the right to accept or reject any or all bids submitted. The Camden County Commission has the right to accept the best and lowest bid submitted.

PHONE (573) 346-4440 X-1244 FAX (573) 346-5181